Biopolymers

Contents

Volume 31, 1991

Issue 1, January 1991

Solvent- and Salt-Induced Coil–Helix Transition of Alkali Metal Salts of Poly(L-Glutamic Acid) in Aqueous Organic Solvents / 1
M. Satoh, Y. Fujii, F. Kato, and J. Komiyama

Variation of the Permeability of Bacteriophage T4: Analysis by Use of a Protein-Specific Probe for the T4 Interior / 11
G. A. Greiss, S. A. Khan, and P. Serwer

Zinc Ion–DNA Polymer Interactions / 23
X. Jia and L. G. Marzilli

Heteronuclear Two-Dimensional ^{15}N- and ^{13}C-NMR Studies of DNA Oligomers and Their Netropsin Complexes Using Indirect Proton Detection / 45
J. Ashcroft, D. H. Live, D. J. Patel, and D. Cowburn

Polyiodine Units in Starch-Iodine Complex: INDO CI Study of Spectra and Comparison with Experiments / 57
M. Minick, K. Fotta, and A. Khan

Polyelectrolyte Properties of Biopolymers: Conductivity and Secondary Structure of Polyriboadenylic Acid and Its Salts in Solutions / 65
I. A. Kuznetsov, O. V. Vorontsova, and A. G. Kozlov

Virtual Rigid Body Dynamics / 77
T. Head-Gordon and Charles L. Brooks III

Interaction of Guanylic Acid with the Mg(II), Ca(II), Sr(II), and Ba(II) Ions in the Crystalline Solid and Aqueous Solution: Evidence for the Ribose C2′-*endo/anti* and C3′-*endo/anti* Conformational Changes / 101
H.-A. Tajmir-Riahi

Transient Electric Birefringence Study of Highly Dilute Agarose Solutions / 109
Y. Dormoy and S. Candau

Study of the "Molten Globule" Intermediate State in Protein Folding by a Hydrophobic Fluorescent Probe / 119
G. V. Semisotnov, N. A. Rodionova, O. I. Razgulyaev, V. N. Uversky, A. F. Gripaś and R. I. Gilmanshin

Preferred Conformation of the Terminally Blocked $(Aib)_{10}$ Homo-Oligopeptide: A Long, Regular 3_{10}-Helix / 129
C. Toniolo, M. Crisma, G. M. Bonora, E. Benedetti, B. Di Blasio, V. Pavone, C. Pedone, and A. Santini

Issue 2, February 5, 1991

Premelting Thermal Fluctuational Base Pair Opening Probability of Poly(dA) · Poly(dT) as Predicted by the Modified Self-Consistent Phonon Theory / 139
Y. Z. Chen, Y. Feng, and E. W. Prohofsky

Prediction of the Rotational Diffusion Behavior of Biopolymers on the Basis of Their Solution or Crystal Structure / 149
J. J. Müller

Anomalous Temperature Dependence of the Thermal Expansion of Proteins / 161
M. Hiebl and R. Maksymiw

Shielding Effects of Small Ions in Gel Electrophoresis of DNA / 169
D. Stigter

High Directional Monte Carlo Procedure Coupled with the Temperature Heating and Annealing as a Method to Obtain the Global Energy Minimum Structure of Polypeptides and Proteins / 177
J. K. Shin and M. S. Jhon

L-Alanyl-L-Alanyl-L-Alanine: Parallel Pleated Sheet Arrangement in Unhydrated Crystal Structure, and Comparisons with the Antiparallel Sheet Structure / 187
A. Hempel, N. Camerman, and A. Camerman

Vibrational Analysis of Crystalline Tri-L-Alanine / 193
W. Qian, J. Bandekar, and S. Krimm

A Molecular Dynamics Study of the Effect of G·T Mispairs on the Conformation of DNA in Solution / 211
M. Shibata, T. J. Zielinski, and R. Rein

Solution Structure of Salmon Calcitonin / 233
J.-P. Meyer, J. T. Pelton, J. Hoflack, and V. Saudek

A Vibrational Spectroscopic Study of the Self-Association of 5'-GMP in Aqueous Solution / 243
P. Audet, C. Simard, and R. Savoie

RESEARCH COMMUNICATION

Biased Sinusoidal Field Gel Electrophoresis for Size-Dependent DNA Separation / 253
T. Shikata and T. Kotaka

Issue 3, February 15, 1991

Evidential Study of Correlated Events in Biochemistry: Physicochemical Mechanisms of Nucleic Acid Hydration as Revealed by Factor Analysis / 255
E. B. Starikov, M. A. Semenov, V. Ya. Maleev, and A. I. Gasan

Effect of Basic Oligopeptides on the B-Z Transition of Poly(dG-dC)·Poly(dG-dC) in Water-Methanol Solutions / 275
H. Votavová, J. Pírková, V. Gut, J. Šponar, and K. Bláha

Molecular Dynamics Simulations of Small Peptides: Dependence on Dielectric Model and pH / 285
V. Daggett, P. A. Kollman, and I. D. Kuntz

Proton and Tritium NMR Relaxation Studies of Peptide Inhibitor Binding to Bacterial Collagenase: Conformation and Dynamics / 305
V. Dive, A. Lai, G. Valensin, G. Saba, A. Yiotakis, and F. Toma

The Electrostatically Driven Monte Carlo Method: Application to Conformational Analysis of Decaglycine / 319
D. R. Ripoll, M. J. Vásquez, and H. A. Scheraga

^{1}H- and ^{31}P-NMR Studies of Ditercalinium Binding to a $d(GCGC)_2$ and $d(CCTATAGG)_2$ Minihelices: A Sequence Specificity Study / 331
M. Delepierre, C. Milhe, A. Namane, T. H. Dinh, and B. P. Roques

RESEARCH COMMUNICATION

Observation of Preferred Direction Melting in a Lattice Model of Poly(dA-dC)·Poly(dG-dT) / 355
V. V. Prabhu, L. Young, and E. W. Prohofsky

Issue 4, March 1991

Conformational Preference and Ligand Binding Properties of DNA Junctions Are Determined by Sequence at the Branch / 359
Q. Guo, M. Lu, and N. R. Kallenbach

A Method for Estimating the Nearest Neighbor Base-Pair Content of RNAs Using CD and Absorption Spectroscopy / 373
K. H. Johnson and D. M. Gray

An Estimate of the Nearest Neighbor Base-Pair Content of 5S RNA Using CD and Absorption Spectroscopy / 385
K. H. Johnson and D. M. Gray

A Sequence Preference for Nucleation of α-Helix—Crystal Structure of Gly-L-Ala-L-Val and Gly-L-Ala-L-Leu: Some Comments on the Geometry of Leucine Zippers / 397
S. Chaturvedi, K. Go, and R. Parthasarathy

The Structure of [D-Hyi^2, L-Hyi^4]*meso*-Valinomycin Revealed by X-Ray Analysis / 409
V. Z. Pletnev, I. Yu. Mikhailova, V. T. Ivanova, D. A. Langs, P. Grochulski, and W. L. Duax

Molecular Conformation of a D, L Stereoisomeric Analogue of Valinomycin, Cyclo[-(L-Val-L-Hyi-L-Val-D-Hyi)$_2$-(D-Val-L-Hyi-L-Val-D-Hyi)-] / 417
D. A. Langs, P. Grochulski, W. L. Duax, V. Z. Pletnev, and V. T. Ivanov

The Divalent Cation-Binding Sites of Gramicidin A Transmembrane Ion-Channel / 425
A. P. Golovanov, I. L. Barsukov, A. S. Arseniev, V. F. Bystrov, S. V. Sukhanov, and L. I. Barsukov

Mobility Models for Stiff and Flexible Macromolecules in Dilute Gels / 435
E. Arvanitidou, D. Hoagland, and D. Smisek

The Solution Conformation of Tubulin-β(422–434)-NH_2 and Its Nac-DATADEQG-NH_2 Fragment Based on NMR / 449
A. Otter, P. G. Scott, R. B. Maccioni, and G. Kotovych

Structural Determination of the Vasoactive Intestinal Peptide by Two-Dimensional ^{1}H-NMR Spectroscopy / 459
Y. Theriault, Y. Boulanger, and S. St-Pierre

Issue 5, April 1991

Differential Scanning Calorimetry Studies of NaCl Effect on the Inverse Temperature Transition of Some Elastin-Based Polytetra-, Polypenta-, and Polynonapeptides / 465
C.-H. Luan, T. M. Parker, K. U. Prasad, and D. W. Urry

Heat Capacities of Solid Poly(Amino Acids). I. Polyglycine, Poly(L-Alanine), and Poly(L-Valine) / 477
K. A. Roles and B. Wunderlich

A Scanning Calorimetric Study of the Thermally Induced Unfolding of Various Forms of Tropomyosin / 489
J. M. Sturtevant, M. E. Holtzer, and A. Holtzer

Local Structures in Unfolding Lysozyme and Correlation with Secondary Structures in the Native Conformation: Helix-Forming or -Breaking Propensity of Peptide Segments / 497
S.-I. Segawa, T. Fukuno, K. Fujiwara, and Y. Noda

Oligopurine·Oligopyrimidine Tracts Do Not Have the Same Conformation as Analogous Polypurine·Polypyrimidines / 511
V. K. Jayasena and M. J. Behe

Thermodynamics of Drug–DNA Interactions: Entropy-Driven Intercalation and Enthalpy-Driven Outside Binding in the Ellipticine Series / 519
M.-A. Schwaller, G. Dodin, and J. Aubard

Effects of Proline Ring Conformation on Theoretical π-π Absorption and CD Spectra of Helical Poly(L-Proline) Forms I and II / 529
K. A. Thomasson and J. Applequist

Conformations and Time-Resolved Fluorescence of Oligomers of (−)-Epicatechin with $4\beta \rightarrow 8$ Interflavan Bonds / 537
D. Cho, L. J. Porter, and W. L. Mattice

Dynamic Light Scattering from Weakly Bending Rods: Estimation of the Dynamic Bending Rigidity of the M13 Virus / 547
L. Song, U.-S. Kim, J. Wilcoxon, and J. M. Schurr

Theoretical CD Studies of Polypeptide Helices: Examination of Important Electronic and Geometric Factors / 569
M. C. Manning and R. W. Woody

Issue 6, May 1991

Special Issue: Second Naples Workshop on Conformational Analysis of Peptides: Relationships and Interactions

Editorial / i

Toward the Elucidation of the Mechanism of Attachment and Entry of Malaria Sporozoites into Cells: Synthetic Polypeptides from the Circumsporozoite Protein of *Plasmodium falciparum* Bind Ca^{2+} and Interact with Model Phospholipid Membranes / 587
A. S. Verdini, L. Chiappinelli, and A. Zanobi

Synthetic Immunogens. Part IV: Conformational Studies on Gastrin Conjugates with the Human Immunoglobulin G1 Hinge Peptide 225–232/225′–232′ / 595
L. Moroder, J.-P. Bali, and Y. Kobayashi

Conformational Analysis of Bacitracin A, a Naturally Occurring Lariat / 605
M. Pons, M. Feliz, M. A. Molins, and E. Giralt

α-Helical Small Molecular Size Analogues of Neuropeptide Y: Structure–Activity Relationships / 613
G. Jung, A. G. Beck-Sickinger, H. Dürr, W. Gaida, and G. Schnorrenberg

Heteronuclear Two- and Three-Dimensional NMR Spectroscopy of ^{13}C in Natural Abundance by Multiplicity Selection and Editing: Application to Peptides / 621
H. Kessler and P. Schmieder

Structure and Antigenic Activity of Rubella E1 Glycoprotein Synthetic Peptides / 631
P. Neri, M. Corti, L. Lozzi, and P. E. Valensin

Preferred Conformation of Peptides from $C^{\alpha,\alpha}$-Symmetrically Disubstituted Glycines: Aromatic Residues / 637
M. Crisma, G. Valle, G. M. Bonora, C. Toniolo, F. Lelj, V. Barone, F. Fraternali, P. M. Hardy, and H. L. S. Maia

Fluorescence, CD, and NMR Studies on Spantide, A Bombesin and Substance P Antagonist / 643
C. Di Bello, A. Scatturin, G. D'Auria, M. Gargiulo, L. Paolillo, E. Trivellone, and R. De Castiglione

Fluorescence and CD Studies on the Conformation of the Gastrin Releasing Peptide in Solution and in the Presence of Model Membranes / 653
P. Cavatorta, G. Sartor, P. Neyroz, G. Farruggia, L. Franzoni, A. G. Szabo, and A. Spisni

Conformational Energy Minimization by Simulated Annealing Using Molecular Dynamics: Some Improvements to the Monitoring Procedure / 663
F. Lelj, P. Grimaldi, and P. L. Cristinziano

Conformational and Binding Studies on Peptides Related to Domains I and III of Calmodulin / 671
M. T. Foffani, R. Battistutta, A. Calderan, P. Ruzza, G. Borin, and E. Peggion

Conformational Preferences and the Role of the Statine Residue in the Crystal State / 683
G. Precigoux

Conformation-Based Design of Two Cyclic Physalaemin Analogues / 691
G. Hölzemann, A. Jonczyk, V. Eiermann, K. G. R. Pachler, G. Barnickel, and D. Regoli

Assignment of Protein NMR Spectra in the Light of Homonuclear 3D Spectroscopy: An Automatable Procedure Based on 3D TOCSY-TOCSY and 3D TOCSY-NOESY / 699
H. Oschkinat, T. A. Holak, and C. Cieslar

^{1}H- and Natural Abundance ^{15}N-NMR Studies of a Derivative of a Rabies Glycoprotein Fragment / 713
H. Molinari R. Consonni, M. Pegna, L. Zetta, P. Neri, N. Niccolai, A. Bonci, L. Lozzi, M. Rustici, and M. Scarselli

Toward Nonpeptidal Substance P Mimetic Analogues: Design, Synthesis, and Biological Activity / 725
M. Chorev, E. Roubini, C. Gilon, and Z. Selinger

Conformation and Formation Tendency of the Cyclotetrapeptide *cyclo*(D-Pro-D-Pro-L-Pro-L-Pro): Experimental Results and Molecular Modeling Studies / 735
W. Mästle, U. Link, W. Witschel, U. Thewalt, T. Weber, and M. Rothe

Backbone Cyclization: A New Method for Conferring Conformational Constraint on Peptides / 745
C. Gilon, D. Halle, M. Chorev, Z. Selinger, and G. Byk

New Insights on μ/δ Selectivity of Opioid Peptides: Conformational Analysis of Deltorphin Analogues / 751
T. Tancredi, P. A. Temussi, D. Picone, P. Amodeo, R. Tomatis, S. Salvadori, M. Marastoni, V. Santagada, and G. Balboni

Ion Binding of a Cyclolinopeptide A: An NMR and CD Conformational Study / 761
T. Tancredi, E. Benedetti, M. Grimaldi, C. Pedone, F. Rossi, M. Saviano, P. A. Temussi, and G. Zanotti

Two-Dimensional ^{1}H-NMR Study of Antigen–Antibody Interactions: Binding of Synthetic Decapeptides to an Anti-Acetylcholine Receptor Monoclonal Antibody / 769
M. T. Cung, P. Demange, M. Marraud, V. Tsikaris, C. Sakarellos, I. Papadouli, A. Kokla, and S. J. Tzartos

Pharmacology of Neurokinin Receptors / 777
D. Regoli and F. Nantel

Peptide–Membrane Interactions and a New Principle in Quantitative Structure–Activity Relationships / 785
R. Schwyzer

X-Ray Conformational Study of Hydrazino Peptide Analogues / 793
A. Aubry, D. Bayeul, J.-P. Mangeot, J. Vidal, S. Sterin, A. Collet, A. Lecoq, and M. Marraud

The Solution Structure of the Lantibiotic Gallidermin / 803
S. Freund, G. Jung, O. Gutbrod, G. Folkers, W. A. Gibbons, H. Allgaier, and R. Werner

Issue 7, June 1991

Internal Dynamics of Linear and Superhelical DNA as Studied by Photon Correlation Spectroscopy / 813
J. Seils and Th. Dorfmüller

Antigen–Antibody Recognition by Fourier Transform IR Spectroscopy/Attenuated Total Reflection Studies: Biotin–Avidin Complex as an Example / 827
R. Barbucci, A. Magnani, C. Roncolini, and S. Silvestri

Conformational Analysis of Two Cyclic Disulfide Peptides / 835
C. García-Echeverría, G. Siligardi, P. Mascagni, W. Gibbons, E. Giralt, and M. Pons

Prediction of Fluorine Chemical Shifts in Proteins / 845
D. H. Gregory and J. T. Gerig

Time-Resolved Study of Network Self-Organization from a Biopolymeric Solution / 859
A. Emanuele, L. Di Stefano, D. Giacomazza, M. Trapanese, M. B. Palma-Vittorelli, and M. U. Palma

Solution Structure of Human Growth Hormone-Releasing Factor Fragment (1–29) by CD: Characteristic Conformational Change on Phospholipid Membrane / 869
S. Honda, S. Ohashi, H. Morii, and H. Uedaira

Conformational Studies of Stereoisomeric 14-Membered Cyclic Enkephalin Analogues Containing 1-Naphthylalanine at the Fourth Position: Chirality Effect of Leucine at the Fifth Position on Biological Activity and Receptor Selectivity / 877
T. Yamazaki, O. E. Said-Nejad, P. W. Schiller, and M. Goodman

Investigation of Zinc-Binding Affinities of Moloney Murine Leukemia Virus Nucleocapsid Protein and Its Related Zinc Finger and Modified Peptides / 899
Y. Mely, F. Cornille, M.-C. Fournié-Zaluski, J.-L. Darlix, B. P. Roques, and D. Gérard

Partial Intercalation with DNA of Peptides Containing Two Aromatic Amino Acids / 907
C. Robledo-Luiggi, W. D. Wilson, E. Pares, M. Vera, C. S. Martinez, and D. Santiago

Issue 8, July, 1991

A Molecular Dynamics Study of Thermodynamic and Structural Aspects of the Hydration of Cavities in Proteins / 919
R. C. Wade, M. H. Mazor, J. A. McCammon, and F. A. Quiocho

Evidence of Three Distinct Conformations—Single Chain, Single Helix, and Triple Helix—of (1 → 3)-β-D-Xylan in the Solid and Intact Frond of Green Algae as Studied by ^{13}C-NMR Spectroscopy / 933
H. Saitô, J. Yamada, Y. Yoshioka, Y. Shibata, and T. Erata

Topographical Requirements for δ-Selective Opioid Peptides / 941
G. V. Nikiforovich, V. J. Hruby, O. Prakash, and C. A. Gehrig

The Kinetics of Chain Exchange in Two-Chain Coiled Coils: αα- and ββ-Tropomyosin / 957
S. Ozeki, T. Kato, M. E. Holtzer, and A. Holtzer

The Hydration Response of Poly (L-Lysine) Dynamics Measured by ^{13}C-NMR Spectroscopy / 967
S. D. Swanson and R. G. Bryant

Molecular and Crystal Structures of Aib-Containing Oligopeptides Boc-Leu$_4$-Aib-Leu$_4$-OBzl and Boc-(Leu$_4$-Aib)$_2$-OBzl / 975
K. Okuyama, Y. Saga, M. Nakayama, and M. Narita

Synthesis, Crystal Structure, and Molecular Confirmation of N-Ac-Dehydro-Phe-L-Val-L-Val-OCH_3 / 987
P. Narula, B. Khandelwal, and T. P. Singh

Solvent Reorganization Contribution to the Transfer Thermodynamics of Small Nonpolar Molecules / 993
B. Lee

Information Concerning the Mechanism of Electrophoretic DNA Separation Provided by Quantitative Video-Epifluorescence Microscopy / 1009
N. J. Rampino

Molecular Dynamics Simulation in Vacuo and in Solution of Cyclolinopeptide A: A Conformational Study / 1017
M. Saviano, M. Aida, and G. Corongiu

Issue 9, August 1991

The Substructure of Agarose Gels as Prepared for Electrophoresis / 1025
S. Whytock and J. Finch

An Antigenic Determinant Common to Human Chorionic Somatomammotropin and Human Growth Hormone Revealed by Limited Proteolysis of Immune Complexes / 1029
A. Santucci, M. Rustici, L. Bracci, and P. Neri

Ionization of Clusters. IV. Cooperativity and Allosterism Derived from Shared Clusters in Macromolecules / 1037
H. A. Saroff

Effects of Limited Input Distance Constraints Upon the Distance Geometry Algorithm / 1049
C. M. Oshiro, J. Thomason, and I. D. Kuntz

Interaction of La(III) and Tb(III) Ions with Purine Nucleotides: Evidence for Metal Chelation (N-7–M-PO_3) and the Effect of Macrochelate Formation on the Nucleotide Sugar Conformation / 1065
H.-A. Tajmir-Riahi

Mass-Weighted Molecular Dynamics Simulation of Cyclic Polypeptides / 1077
B. Mao, G. M. Maggiora, and K. C. Chou

A Stable Antiparallel Cytosine–Thymine Base Pair Occurring Only at the End of a Duplex / 1087
S. A. M. Vanhommerig, M. H. P. van Genderen, and H. M. Buck

Electric Birefringence Imaging of Electrokinetic Agarose Orientation / 1095
M. Lanan, R. Shick, and M. D. Morris

Intercalation Binding of 6-Substituted Naphthothiopheneamides to DNA: Enthalpy and Entropy Components / 1105
H. P. Hopkins, Jr., Y. Ming, W. D. Wilson, and D. W. Boykin

A Molecular Dynamics Simulation of Polyalanine: An Analysis of Equilibrium Motions and Helix–Coil Transitions / 1115
V. Daggett, P. A. Kollman, and I. D. Kuntz

Issue 10, September 1991

Structural Versatility of Peptides from $C^{\alpha,\alpha}$-Disubstituted Glycines: Preferred Conformation of the Chiral Isovaline Residue / 1135
K. Nebel, E. Altmann, M. Mutter, R. Bardi, A. M. Piazzesi, M. Crisma, G. M. Bonora, and C. Toniolo

Electrostatic Interactions in Protein Solution—A Comparison Between Poisson-Boltzmann and Monte Carlo Calculations / 1149
M. Fushiki, B. Svensson, B. Jonsson, and C. E. Woodward

Differential Behavior of the Two Free Sulfhydryl Groups of Human Plasma Fibronectin: Effects of Environmental Factors / 1159
C. Narasimhan and C. S. Lai

On the Mechanism of Dielectric Relaxation in Aqueous DNA Solutions / 1171
B. Saif, R. K. Mohr, C. J. Montrose, and T. A. Litovitz

β-Alanyl-β-Alanine in Cyclic β-Turned Peptides / 1181
B. Di Blasio, A. Lombardi, X. Yang, C. Pedone, and V. Pavone

Conformational Analysis of a lgG1 Hinge Peptide Derivative in Solution Determined by NMR Spectroscopy and Refined by Restrained Molecular Dynamics Simulations / 1189
H. Kessler, S. Mronga, G. Müller, L. Moroder, and R. Huber

Valinomycin and Its Interaction with Ions in Organic Solvents, Detergents, and Lipids Studied by Fourier Transforms IR Spectroscopy / 1205
M. Jackson and H. H. Mantsch

The Cystine-Stabilized α-Helix: A Common Structural Motif of Ion-Channel Blocking Neurotoxic Peptides / 1213
Y. Kobayashi, H. Takashima, H. Tamaoki, Y. Kyogoku, P. Lambert, H. Kuroda, N. Chino, T. X. Watanabe, T. Kimura, S. Sakakibara, and L. Mororder

Experimental and Theoretical Studies of DNA Separations by Capillary Electrophoresis in Entangled Polymer Solutions / 1221
P. D. Grossman and D. S. Soane

Structural Properties of Polydisperse Biopolymer Solutions: A Light Scattering Study of Bovine α-Crystallin / 1229
P. Schurtenberger and R. C. Augusteyn

RESEARCH COMMUNICATION

Reaction of Colchicine with Peptide Amino Groups / 1241
S. Zhang and J. Bello

Issue 11, October 5, 1991

Thermally Induced Conformational Transition of Double-Stranded Xanthan in Aqueous Salt Solutions / 1243
S. Kitamura, K. Takeo, T. Kuge, and B. T. Stokke

Induced CD and Interaction of Some Porphyrin Derivatives with α-Helical Polypeptides in Aqueous Solutions / 1257
S. Ikeda, T. Nezu, and G. Ebert

Probe Diffusion in Solutions of Filamentous Actin Formed in the Presence of Gelsolin / 1265
J. Newman, G. Gukelberger, K. L. Schick, and K. S. Zaner

Premelting Thermal Fluctuational Interbase Hydrogen-Bond Disrupted States of a B-DNA Guanine–Cytosine Base Pair: Significance for Amino and Imino Proton Exchange / 1273
Y. Z. Chen, W. Zhuang, and E. W. Prohofsky

Birefringence of Actin / 1283
S. K. Kakar, and F. A. Bettelheim

Determining Molecular Weight Distributions of Antigen–Antibody Complexes by Quasi-Elasti Light Scattering / 1289
R. M. Murphy, M. L. Yarmush, and C. K. Colton

Conformational Correlatives of DNA Band Compression and Bidirectional Migration During Field Inversion Gel Electrophoresis, Detected by Quantitative Video Epifluorescence Microscopy / 1297
N. J. Rampino and A. Chrambach

Comparison of the Bis-intercalating Complexes Formed Between Either Ditercalinium or a Flexible Analogue and $d(CpGpCpG)_2$ or $d(TpTpCpGpCpGpApA)_2$ Minihelices: ^1H- and ^{31}P-NMR Analyses / 1309
J. Pothier, M. Delepierre, M.-C. Barsi, C. Garbay-Jaureguiberry, J. Igolen, M. Le Bret, and B. P. Roqı

Drug–DNA Interactions: Spectroscopic and Footprinting Studies of Site and Sequence Specificity of Elliptinium / 1325
O. Mauffret, B. Rene, O. Convert, M. Monnot, E. Lescot, and S. Fermandjian

RESEARCH COMMUNICATIONS

A Reexamination of $^{25}Mg^{2+}$ NMR in DNA Solution: Site Heterogeneity and Cation Competition Effects / 1343
W. H. Braunlin, L. Nordenskiöld, and T. Drakenberg

Self-Association of Bovine Pancreatic Trypsin Inhibitor: Specific of Nonspecific? / 1347
P. Zielenkiewicz, Y. Goergalis, and W. Saenger

Issue 12, October 15, 1991

Unfolding of an α-Helix in Water / 1351
K. V. Soman, A. Karimi, and D. A. Case

Resolution of End-to-End Diffusion Coefficients and Distance Distributions of Flexible Molecules Using Fluorescent Donor–Acceptor and Donor–Quencher Pairs / 1363
J. R. Lakowicz, J. Kuśba, H. Szmacinski, I. Gryczynski, P. S. Eis, W. Wiczk, and M. L. Johnson

Solution Conformation of Laminaribioside and (1 → 3)-β-D-Glucan from Optical Rotation / 1379
C. A. Duda and E. S. Stevens

Heat Aggregation Studies of Phycobilisomes, Ferritin, Insulin, and Immunoglobulin by Dynamic Light Scattering / 1387
B. P. Singh, H. B. Bohidar, and S. Chopra

Conformational Studies on Bombesin Antagonists: CD and NMR Characterization of [Thr^6, Leu^{13} ψ(CH_2NH) Met^{14}] Bombesin (6–14) / 1397
C. Di Bello, A. Scatturin, G. Vertuani, G. D'Auria, M. Gargiulo, L. Paolillo, E. Trivellone, L. Gozzini, and R. De Castiglione

Assignment of the ^{1}H-NMR Resonances of the Four Rotamers of β-Casomorphin-5 in DMSO / 1409
N. G. J. Delaet, P. M. F. Verheyden, D. Touwé, and G. Van Binst

Kinetics of Folding and Unfolding of $\alpha\alpha$-Tropomyosin and of Nonpolymerizable $\alpha\alpha$-Tropomyosin / 1417
J. Mo, M. E. Holtzer, and A. Holtzer

Photodegradation of Hyaluronic Acid: EPR and Size Exclusion Chromatography Study / 1429
L. Lapčík, Jr., P. Chabreček, and A. Staško

DNA Interpolyelectrolyte Complexes as a Tool for Efficient Cell Transformation / 1437
A. V. Kabanov, I. V. Astafyeva, M. L. Chikindas, G. F. Rosenblat, V. I. Kiselev, E. S. Severin, and V. A. Kabanov

Dependence of the Hydration Shell Structure in the Minor Groove of the DNA Double Helix on the Groove Width as Revealed by Monte Carlo Simulation / 1445
A. V. Teplukhin, V. I. Poltev, and V. P. Chuprina

RESEARCH COMMUNICATION

Undesirable Contamination of DNA Electrophoresed Through Polyacrylamide and Agarose Gels as Revealed by Reversing-Pulse Electric Birefringence Signals / 1455
K. Fukudome, K. Iwasaki, S. Matsumoto, and K. Yamaoka

Issue 13, November 1991

SPECIAL ISSUE IN HONOR OF BRUNO ZIMM

Photograph of Bruno Zimm / 1459

Editorial / 1461

Parameters of Helix–Coil Transition Theory for Alanine-Based Peptides of Varying Chain Lengths in Water / 1463
J. M. Scholtz, H. Qian, E. J. York, J. M. Stewart, and R. L. Baldwin

Condensation of DNA by Multivalent Cations: Considerations on Mechanism / 1471
V. A. Bloomfield

The Hodgkin–Huxley Na^+ Channel Model Versus the Five-State Markovian Model / 1483
T. R. Chay

Cyclic Retro–Inverso Dipeptides with Two Aromatic Side Chains. I. Synthesis / 1503
K.-I. Nunami, T. Yamazaki, and M. Goodman

Cyclic Retro–Inverso Dipeptides with Two Aromatic Side Chains. II. Conformational Analysis / 1513
T. Yamazaki, K.-I. Nunami, and M. Goodman

Conformational Energy Studies of β-Sheets of Model Silk Fibroin Peptides. I. Sheets of Poly(Ala-Gly) Chains / 1529
S. A. Fossey, G. Némethy, K. D. Gibson, and H. A. Scheraga

The Elastic Resilience of DNA Can Induce All-or-None Structural Transitions in the Nucleosome Core Particle / 1543
N. L. Marky and G. S. Manning

Effects of Na^+ on the Persistence Length and Excluded Volume of T7 Bacteriophage DNA / 1559
E. S. Sobel and J. A. Harpst

A Probabilistic Model for Genetic Recombination of Nonreplicating λ-Phage DNA, Stimulated by "Mismatch repair" of UV Photoproducts / 1565
J. B. Hays and J. G. Hays

Comparison of the Conformational Dynamics of the (1 → 4)- and (1 → 6)-Linked α-D-Glucans Using ^{13}C-NMR Relaxation / 1581
M. Kadkhodaei, H. Wu, and D. A. Brant

Importance of Oligoelectrolyte End Effects for the Thermodynamics of Conformational Transitions of Nucleic Acid Oligomers: A Grand Canonical Monte Carlo Analysis / 1593
M. C. Olmsted, C. F. Anderson, and M. T. Record, Jr.

The Helix–Coil Transition in Heterogeneous Peptides with Specific Side-Chain Interactions: Theory and Comparison with CD Spectral Data / 1605
P. J. Gans, P. C. Lyu, M. C. Manning, R. W. Woody, and N. R. Kallenbach

Distance-Dependent Dielectric Constants and Their Application to Double-Helical DNA / 1615
J. Mazur and R. L. Jernigan

The Three States of Globular Proteins: Acid Denaturation / 1631
D. O. V. Alonso, K. A. Dill, and D. Stigter

Transient Electric Birefringence of Two Small DNA Restriction Fragments of the Same Molecular Weight / 1651
N. C. Stellwagen

Issue 14, December 1991

Crystal State Conformation of Three Model Monomer Units for the β-Bend Ribbon Structure / 1669
G. Valle, R. Bardi, A. M. Piazzesi, M. Crisma, C. Toniolo, G. Cavicchioni, K. Uma, and P. Balaram

On the Flexibility of Myosin in Solution / 1677
J. F. Curry, and S. Krause

Conformational Heterogeneity Quinoxaline Peptides in Solution / 1689
T. V. Alfredson, A. H. Maki, and M. J. Waring

The CD of Ligand–DNA Systems. I. Poly(dG-dC) B-DNA / 1709
R. Lyng, A. Rodger, and B. Nordén

Heterogeneous Molecular Aggregation and Fractal Structure in Chitosan/Acetic Acid Systems / 1721
T. Matsumoto, M. Kawai, and T. Masuda

Salt Dependence and Ion Specificity of the Coil–Helix Transition of Furcellaran / 1727
W. Zhang, L. Piculell, and S. Nilsson

Molecular Dynamics Simulation of Lewis Blood Goups and Related Oligosaccharides / 1737
C. Mukhopadhyay and C. A. Bush

Reassessment of the Random Coil Conformation: Vibrational CD Study of Proline Oligopeptides and Related Polypeptides / 1747
R. K. Dukor and T. A. Keiderling

Conformational Preferences of Oligopeptides Rich in α-Aminoisobutyric Acid. I. Observation of a $3_{10}/\alpha$-Helical Transition upon Sequence Permutation / 1763
G. Basu, K. Bagchi, A. Kuki

Subject Index / 1777

Volume Contents / 1785

Author Index / 1797